

My Lectures from : Purcell Chapter 1


Web Notes : Lecture Notes #1(Workshop #1) and #2

Other Notes: Fields; Coulomb Law; Gauss Law

Purcell Problems:

- 1.05 Field due to a semicircle
- 1.09 Potential energy of a sphere of charge
- 1.11 2 charges on the x-axis
- 1.16 Sphere of charge with a spherical hollow
- 1.17 Flux through a cube
- 1.18 2 infinite sheets of charge
- 1.19 Infinite plane + infinite layer
- 1.24 Electric field due to a rod
- 1.29 Hole in a spherical shell
- 1.30 Energy stored in two concentric shells

1. Electric field from an electric dipole - A pair of charges lie in the x-y plane. The $+q$ charge is at $(0,-a)$ and the $-q$ charge is at $(0,a)$ as in figure below:



- (a) Evaluate the electric field (magnitude and direction) at a point $(d,0)$. Show that for $d \gg a$, $|\vec{E}| \propto d^{-3}$. What is the direction in this limit? Assume $d > 0$.
- (b) Evaluate the electric field (magnitude and direction) at a point $(0,d)$. Find the magnitude and direction when $d \gg a$. Assume $d > 0$.
- (c) How much work is required to move a particle with charge q' from $(d,0)$ to $(0,d)$? Do not assume that $d \gg a$.

2. Partial Derivatives - For all parts of this problem use the function:

$$f(x,y,z) = \tanh(x^2 + y^2 + z^2) \quad \text{with} \quad \tanh(u) = \frac{\sinh(u)}{\cosh(u)} = \frac{e^u - e^{-u}}{e^u + e^{-u}}$$

(a) Compute the partial derivatives

$$\frac{\partial f}{\partial x}, \frac{\partial f}{\partial y}, \frac{\partial f}{\partial z}$$

(b) Define the radial displacement vector as $\vec{r} = x\hat{x} + y\hat{y} + z\hat{z}$.

Calculate the following quantity for f given above and then express in terms of \vec{r} .

$$\nabla f = \frac{\partial f}{\partial x} \hat{x} + \frac{\partial f}{\partial y} \hat{y} + \frac{\partial f}{\partial z} \hat{z}$$